

Tariff for the Transmission of Electricity and Ancillary Services

No. 12 Effective as of June 1 st 2011

This tariff applies to the transmission of electricity through Landsnet's transmission system.

The tariff also applies to producers connected to Landsnet's transmission system through a distribution system.

Article 2

The following definitions apply and are used in this tariff:

Delivery/supply voltage: The standard voltage (nominal voltage) at which Landsnet delivers/supplies electricity:

Point of delivery: A point in a transmission or distribution system where electricity is taken out.

Calendar year: 1 January – 31 December each year.

Transmission system: Electrical lines and connected facilities needed to transmit electricity from producers to power intensive users and to distribution system operators at the points of delivery listed in an annex to the Electricity Act No 65/2003, as amended. It extends from the high-voltage side of producers' auxiliary transformers connected to it, cf. Paragraph 3 of Article 5 of the Electricity Act, to the high-voltage side of substation transformers of power intensive users and distribution system operators.

Curtailable electricity: Electricity which Landsnet is permitted to curtail due to disturbances in the transmission system or power plants, congestion problems in the transmission system, maintenance or periodical tests. This does no apply to curtailments and rationing acording to the ninth paragraph of Art. 9 of the Electricity Act.

In-feed: Electricity which is supplied to the transmission system or the distribution system.

Power intensive user: A user who uses in one place a minimum of 14 MW of power with an annual utilisation time of 8,000 hours or more and meets other conditions of Landsnet relating to power intensive users.

Out-feed: Electricity delivered to customers out of Landsnet's transmission system, together with the electricity produced in power stations connected to Landsnet through a distribution system.

The points of delivery and supply and voltage for the in-feed and out-feed of electricity are as follows:

Andakílsvirkjun 66 kV Blöndustöð 132 kV Búrfellsstöð 220 kV og 66 kV Fljótsdalsstöð 220 kV Hellisheiðarvirkjun 220 kV Hrauneyjafossstöð 220 kV Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV Vatnsfellsstöð 220 kV
Blöndustöð 132 kV Búrfellsstöð 220 kV og 66 kV Fljótsdalsstöð 220 kV Hellisheiðarvirkjun 220 kV Hrauneyjafossstöð 220 kV Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Búrfellsstöð 220 kV og 66 kV Fljótsdalsstöð 220 kV Hellisheiðarvirkjun 220 kV Hrauneyjafossstöð 220 kV Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Fljótsdalsstöð 220 kV Hellisheiðarvirkjun 220 kV Hrauneyjafossstöð 220 kV Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Laxárstöð 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Hellisheiðarvirkjun220 kVHrauneyjafossstöð220 kVÍrafossstöð132 kVKröflustöð132 kVLagarfossvirkjun66 kVLaxárstöð66 kVLjósafossstöð66 kVMjólkárvirkjun66 kVNesjavellir132 kVReykjanesvirkjun132 kVSigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Hrauneyjafossstöð 220 kV Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Laxárstöð 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Írafossstöð 132 kV Kröflustöð 132 kV Lagarfossvirkjun 66 kV Laxárstöð 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Lagarfossvirkjun66 kVLaxárstöð66 kVLjósafossstöð66 kVMjólkárvirkjun66 kVNesjavellir132 kVReykjanesvirkjun132 kVSigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Laxárstöð 66 kV Ljósafossstöð 66 kV Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Ljósafossstöð66 kVMjólkárvirkjun66 kVNesjavellir132 kVReykjanesvirkjun132 kVSigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Mjólkárvirkjun 66 kV Nesjavellir 132 kV Reykjanesvirkjun 132 kV Sigöldustöð 220 kV Steingrímsstöð 66 kV Sultartangastöð 220 kV Svartsengi 132 kV
Nesjavellir132 kVReykjanesvirkjun132 kVSigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Reykjanesvirkjun132 kVSigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Sigöldustöð220 kVSteingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Steingrímsstöð66 kVSultartangastöð220 kVSvartsengi132 kV
Sultartangastöð
Svartsengi
Vatnsfellsstöð220 kV
Points of (Out-feed) delivery, Delivery voltage
<u></u>
To Power intensive users:
Switchyard ALCAN 220 kV
Switchyard Fjarðaál 220 kV
Switchyard Járnblendifélag 220 kV
Switchyard Norðurál220 kV
Switchyard Becromal132 kV
To Distribution system operators:
Akranes66 kV
Blanda11 kV
Bolungarvík66 kV
Breiðadalur66 kV
Brennimelur11 kV
Búrfell
Dalvík
Eskifjörður66 kV
Eyvindará66 kV
Fáskrúðsfjörður66 kV

Fitjar	132 kV
Flúðir	66 kV
Geiradalur	132 kV
Glerárskógar	132 kV
Grundarfjörður	66 kV
Hamranes	132 kV
Hella	66 kV
Hnoðraholt	132 kV
Hólar	132 kV
Hrútatunga	132 kV
Hryggstekkur	11 kV
Húsavík	33 kV
Hveragerði	66 kV
Hvolsvöllur	66 kV
Ísafjörður	66 kV
Kópasker	66 kV
Korpa	132 kV
Krafla	11 kV
Lagarfoss	66 kV
Laxá	11 kV
Laxárvatn	132 kV
Lindarbrekka	66 kV
Ljósafoss	11 kV
Mjólká	33 kV
Neskaupsstaður	
Ólafsvík	66 kV
Prestbakki	
Rangárvellir	66 kV
Rauðavatn	132 kV
Rimakot	66 kV
Sauðárkrókur	66 kV
Selfoss	66 kV
Seyðisfjörður	
Silfurstjarna	
Stuðlar	
Svartsengi	132 kV
Tálknafjörður	
Teigarhorn	
Þorlákshöfn	
Varmahlíð	
Vatnshamrar	
Vegamót	
Vestmannaeyjar	
Vogaskeið	
Vopnafjörður	
Öldugata í Hafnarfirði	

4.1 Transmission charges¹

In-feed:

Delivery charge per year...... ISK 4.317.536

Out-feed:

Distribution system operators:

Delivery charge per year...... ISK 4.317.536

Capacity charge per MW per year...... ISK 4.432.936

Energy charge per MWh.....ISK 320,99

Power intensive users

Delivery charge per year......USD 53.496

Capacity charge per MW per year.....USD 28.305

Curtailable electricity:

Energy charge per MWh.....ISK 320,99

Charges for ancillary services and transmission losses are not included in the transmission charges above and are collected separately pursuant to Section 4.2.

4.2 Charge for Ancillary Services and transmission losses²

Ancillary services per MWh......ISK 25,72

Transmission losses per MWh......ISK 58,50

- 4.3 A discount of 5% is granted on the capacity charge and energy charge pursuant to Section 4.1 where electricity is delivered to distributors at a nominal voltage over 66 kV.
- 4.4 No capacity charge is imposed on curtailable electricity delivered at a nominal voltage 132 kV or below and if the power out-feed is in excess of 1MW.
- 4.5 A capacity charge for out-feed is calculated based on the average of the four highest 60-minute monthly power-peaks of the year for each delivery point.
- 4.6 A discount is granted on the charge for ancillary services relating to curtailable electricity amounting to the cost incurred by Landsnet for reserve power.

1 Number formats are used according to icelandic tradition.

 $^{^2}$ Charges for transmission losses and ancillary services will be adjusted based on Landsnet's purchases of losses and ancillary services.

Charges for ancillary services and transmission losses are imposed only on out-feed, with the exception provided for in Section 8.3.

Article 6

Points of delivery shall, as a rule, be metered separately. However, points of delivery within an interconnectably operated distribution network area shall be metered collectively provided that each point of delivery can handle at least 1/(n-1)*100% of the total consumption of the distribution network area, where "n" is the number of points of delivery.

Article 7

- 7.1 Each customer will be charged a delivery charge for each point of supply and for each point of delivery when the customer is connected to the transmission system at more than one connection point within the point of supply or point of delivery and at different voltage, cf. Article 3.
- 7.2 A discount is granted on the out-feed delivery charge if the maximum power out-feed is as follows:

In the range of 3.0 - 6.0 MW the discount is 40%.

Less than 3.0 MW the discount is 70 %.

- 7.3 At each point of delivery, Landsnet will provide customers with one connection point for the delivery voltage specified in Article 3. Customers shall pay all costs of any requested additional connection point; the same applies to connection points for a different voltage than that specified in Article 3.
- 7.4 Buyers of curtailable electricity shall pay any cost of a special connection point for such electricity.

Article 8

- 8.1 Distribution system operators shall pay out-feed charges pursuant to Article 4 for electricity produced in power plants connected to Landsnet through a distribution system, as follows:
 - 1. For energy produced in power plants under 1,42 MW, no out-feed charge is paid.
 - 2. For electricity produced in power plants in the size range of 1,42-3.1 MW, no out-feed charge is paid at the lower limit of the range, but the charge then increases proportionally up to 60% of the full out-feed charge at the upper limit.
 - 3. For energy from power plants of 3.1 7 MW, 60% of the full out-feed charge is paid.
- 8.2 Distribution system operators shall pay a charge for ancillary services pursuant to section 4.2 for electricity which is produced in power plants connected to Landsnet through a distribution system and does not enter the Landsnet transmission system.
- 8.3 Charges pursuant to article 8 shall be settled separately.

- 9.1 This tariff assumes a minimum average power factor of cosφ 0.9 at the out-feed at distribution systems at each point of supply, except as otherwise specified in separate contracts between Landsnet and the customer.
- 9.2 In the event that the average power factor of a single month falls below the above limit the energy charge and capacity charge pursuant to Article 4 shall increase by 2% for each 1% that the power factor falls below the limit.

Article 10

The price of balancing power is variable as determined by the market price at any time and will be posted on the website of Landsnet www.landsnet.is.

Article 11

This tariff is established by Landsnet hf. in compliance with the income revenue cap determined by Orkustofnun for Landsnet hf. and is effective as of Janury 1 st 2010.

Article 12

Orkustofnun (the National Energy Authority) supervises the compliance of Landsnet with the provisions of the Electricity Act No. 65/2003 and with conditions applicable to its activities pursuant to statutory law and government regulations.